

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2245	370/4\$\$ and (enav buffer with configur\$5) and (@ad<"20030331" @rlad<"20030331")	USPAT	OR	ON	2007/11/28 07:58
L3	93	2 and (name id identifier) near5 size	USPAT	OR	ON	2007/11/28 07:55
L4	4	3 and (directory database) with reference and error	USPAT	OR	ON	2007/11/28 07:56
L5	0	enav and (bus queue port buffer) with configur\$5 and (@ad<"20030331" @rlad<"20030331")	USPAT	OR	ON	2007/11/28 07:59
L6	271	(directory) with reference and error and (bus queue port buffer) with configur\$5 and (@ad<"20030331" @rlad<"20030331")	USPAT	OR	ON	2007/11/28 08:07
L7	268	6 and (interact\$4 communicat\$3 bi-direct\$5 mode)	USPAT	OR	ON	2007/11/28 08:01
L8	265	6 and (interact\$4 communicat\$3 bi-direct\$5)	USPAT	OR	ON	2007/11/28 08:01
L9	245	6 and (interact\$4 mode)	USPAT	OR	ON	2007/11/28 08:02
L10	55	6 and (interact\$4 mode) same (audio near5 video)	USPAT	OR	ON	2007/11/28 08:05
L11	6	10 and allocat\$3 with updat\$5	USPAT	OR	ON	2007/11/28 08:03
L14	3	6 and (interact\$4 mode) and (audio near5 video multimedia) and allocat\$3 with (edit\$4 chang\$4 modif\$4 updat\$5) and (markup ?xml html xml)	USPAT	OR	ON	2007/11/28 08:08
L15	1430	(directory) and error and (bus queue port buffer) near3 configur\$5 and (@ad<"20030331" @rlad<"20030331")	USPAT	OR	ON	2007/11/28 08:31
L16	15	15 and (interact\$4 mode) and (audio near5 video multimedia) and allocat\$3 with (edit\$4 chang\$4 modif\$4 updat\$5) and (markup ?xml html xml)	USPAT	OR	ON	2007/11/28 08:08
L17	277	(dvd tv television mtv catv) same (pc computer server) and (replay reproduc\$4) and interact\$3 and (bus queue port buffer) near3 configur\$5 and (@ad<"20030331" @rlad<"20030331")	USPAT	OR	ON	2007/11/28 08:43
L18	40	17 and (html xml)	USPAT	OR	ON	2007/11/28 08:34
L19	23	17 and (html xml) and directory	USPAT	OR	ON	2007/11/28 08:34

## EAST Search History

L20	23	17 and (html xml) and directory and audio and video	USPAT	OR	ON	2007/11/28 08:35
L21	22	20 and size and (name id identifier) and (location allocat\$3 address)	USPAT	OR	ON	2007/11/28 08:38
L22	16	21 and (updat\$5 chang\$4 modif\$4 edit\$3) with configur\$5	USPAT	OR	ON	2007/11/28 08:37
L23	9	22 and (name id identifier) with (location address) and size with (name id identifier)	USPAT	OR	ON	2007/11/28 08:43
L24	4	23 and (cd dvd) same (tv television mtv catv) same (pc computer server)	USPAT	OR	ON	2007/11/28 08:47
L25	3	23 and (dvd) and (tv television mtv catv) and (pc computer server)	USPAT	OR	ON	2007/11/28 08:48

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	111	(audio video AV) same (html xml markup) same configur\$5 same (upda\$5 edit chang\$3 modif\$4) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2007/11/28 09:35
L2	91	(audio video AV) same (html xml markup) same configur\$5 same (upda\$5 edit chang\$3 modif\$4) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 09:35
L3	19	(audio video AV) same (html xml markup) same configur\$5 same (upda\$5 edit chang\$3 modif\$4) and (@ad<"20030331" @rlad<"20030331") and interact\$5 same manag\$5 same (buffer queue port screen browser)	US-PGPUB; USPAT	OR	ON	2007/11/28 09:36
L4	0	(audio video AV) same (html xml markup) same configur\$5 same (upda\$5 edit chang\$3 modif\$4) same allocat\$3 and (@ad<"20030331" @rlad<"20030331") and interact\$5 same manag\$5 same (buffer queue port screen browser)	US-PGPUB; USPAT	OR	ON	2007/11/28 09:37
L5	0	(audio video AV) same (html xml markup) same configur\$5 same (upda\$5 edit chang\$3 modif\$4 tailor rearrang\$3 assign) same allocat\$3 and (@ad<"20030331" @rlad<"20030331") and interact\$5 same manag\$5 same (buffer queue port window bus screen browser)	US-PGPUB; USPAT	OR	ON	2007/11/28 09:37
L6	0	(audio video AV) same (html xml markup) same configur\$5 same (upda\$5 edit chang\$3 modif\$4 tailor rearrang\$3 assign adjust\$4 adapt\$4) same allocat\$3 and (@ad<"20030331" @rlad<"20030331") and interact\$5 same manag\$5 same (buffer queue port window bus screen browser)	US-PGPUB; USPAT	OR	ON	2007/11/28 09:38

## EAST Search History

L7	12	(audio video AV) same (html xml markup) same configur\$5 same (upda\$5 edit chang\$3 modif\$4 tailor rearrang\$3 assign adjust\$4 adapt\$4) and allocat\$3 and (@ad<"20030331" @rlad<"20030331") and interact\$5 same manag\$5 same (buffer queue port window bus screen browser)	US-PGPUB; USPAT	OR	ON	2007/11/28 09:39
L8	29	(audio video multimedia) same (html xml markup) same configur\$5 same (upda\$5 edit\$4 chang\$3 modif\$4 tailor rearrang\$3 re-assign adjust\$4 adapt\$4) and allocat\$3 and (@ad<"20030331" @rlad<"20030331") and interact\$5 and manag\$5 same (buffer queue port window bus screen browser)	US-PGPUB; USPAT	OR	ON	2007/11/28 09:43
L9	13	8 and (replay playback play-back reproduc\$4)	US-PGPUB; USPAT	OR	ON	2007/11/28 09:42
L10	16	8 and (replay playback play-back reproduc\$4 dvd)	US-PGPUB; USPAT	OR	ON	2007/11/28 09:43
L11	27	(html xml markup) same configur\$5 same (upda\$5 edit\$4 chang\$3 modif\$4 tailor rearrang\$3 re-assign adjust\$4 adapt\$4) and allocat\$3 and (@ad<"20030331" @rlad<"20030331") and interact\$5 and manag\$5 same (buffer queue port window bus screen browser) with (audio video multimedia)	US-PGPUB; USPAT	OR	ON	2007/11/28 09:44
L12	21	11 and (replay playback play-back reproduc\$4 dvd)	US-PGPUB; USPAT	OR	ON	2007/11/28 09:45
L13	3	(html xml markup) same configur\$5 same (upda\$5 edit\$4 chang\$3 modif\$4 tailor rearrang\$3 re-assign adjust\$4 adapt\$4) and (@ad<"20030331" @rlad<"20030331") and interact\$5 and manag\$5 same allocat\$3 same (buffer queue port window bus screen browser) with (audio video multimedia)	US-PGPUB; USPAT	OR	ON	2007/11/28 09:47
L14	3	13 and (replay playback play-back reproduc\$4 dvd)	US-PGPUB; USPAT	OR	ON	2007/11/28 09:51

## EAST Search History

L15	0	(html xml markup) same allocat\$3 and configur\$5 same (upda\$5 edit\$4 chang\$3 modif\$4 tailor rearrang\$3 re-assign adjust\$4 adapt\$4) same allocat\$3 same (buffer queue port window bus screen browser) with (audio video multimedia) and (@ad<"20030331" @rlad<"20030331") and interact\$5 and manag\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 09:48
L16	2	(html xml markup) same allocat\$3 and configur\$5 same (upda\$5 edit\$4 chang\$3 modif\$4 tailor rearrang\$3 re-assign adjust\$4 adapt\$4) same allocat\$3 same (audio video multimedia) and (@ad<"20030331" @rlad<"20030331") and interact\$5 and manag\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 09:52
L17	1	16 and (replay playback play-back reproduc\$4 dvd)	US-PGPUB; USPAT	OR	ON	2007/11/28 09:54
L18	577	(html xml markup) and allocat\$3 and configur\$5 same (upda\$5 edit\$4 chang\$3 modif\$4 tailor rearrang\$3 re-assign adjust\$4 adapt\$4 alter\$4 substitut\$3 replac\$3) same (audio video multimedia) and (@ad<"20030331" @rlad<"20030331") and interact\$5 and manag\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 09:53
L19	22	(html xml markup) and configur\$5 same (upda\$5 edit\$4 chang\$3 modif\$4 tailor rearrang\$3 re-assign adjust\$4 adapt\$4 alter\$4 substitut\$3 replac\$3) same (audio video multimedia) same allocat\$3 and (@ad<"20030331" @rlad<"20030331") and interact\$5 and manag\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 09:53
L20	13	(html xml markup) and configur\$5 same (upda\$5 edit\$4 chang\$3 modif\$4 tailor rearrang\$3 re-assign adjust\$4 adapt\$4 alter\$4 substitut\$3 replac\$3) same (audio video multimedia) same allocat\$3 and (@ad<"20030331" @rlad<"20030331") and interact\$5 same manag\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 09:55
L21	7	20 and (replay playback play-back reproduc\$4 dvd)	US-PGPUB; USPAT	OR	ON	2007/11/28 09:54

## EAST Search History

L22	5	(html xml markup) and configur\$5 near\$5 (memory threshold hardware parameter information data attribute buffer port window queue bus) same(upda\$5 edit\$4 chang\$3 modif\$4 tailor rearrang\$3 re-assign adjust\$4 adapt\$4 alter\$4 substitut\$3 replac\$3) same (audio video multimedia) same allocat\$3 and (@ad<"20030331" @rlad<"20030331") and interact\$5 same manag\$5 and (replay playback play-back reproduc\$4 dvd)	US-PGPUB; USPAT	OR	ON	2007/11/28 10:01
L23	3	(xml markup) and configur\$5 near\$5 (memory threshold hardware parameter information data attribute buffer port window queue bus) same(upda\$5 edit\$4 chang\$3 modif\$4 tailor rearrang\$3 re-assign adjust\$4 adapt\$4 alter\$4 substitut\$3 replac\$3) same (audio video multimedia) same allocat\$3 and (@ad<"20030331" @rlad<"20030331") and interact\$5 same manag\$5 and (replay playback play-back reproduc\$4 dvd)	US-PGPUB; USPAT	OR	ON	2007/11/28 09:59
L24	50	(html xml markup) and (reconfigur\$5 configur\$5) with (hardware parameter information data attribute buffer port window queue bus) same (audio video multimedia) same allocat\$3 and (@ad<"20030331" @rlad<"20030331") and interact\$5 same manag\$5 and (replay playback play-back reproduc\$4 dvd) and (upda\$5 edit\$4 chang\$3 modif\$4 tailor rearrang\$3 re-assign adjust\$4 adapt\$4 alter\$4 substitut\$3 replac\$3)	US-PGPUB; USPAT	OR	ON	2007/11/28 10:02
L25	3	24 and (upda\$5 edit\$4 chang\$3 modif\$4 tailor rearrang\$3 re-assign adjust\$4 adapt\$4 alter\$4 substitut\$3 replac\$3) with allocat\$3	US-PGPUB; USPAT	OR	ON	2007/11/28 10:03

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L37	702737	(html xml markup) same (reconfigur\$5 configur\$5) same (hardware parameter information data attribute buffer port window queue bus usb vesa "i/o") same (audio near3 video multimedia) sand (upda\$5 edit\$4 chang\$3 modif\$4 tailor rearrang\$3 re-assign adjust\$4 adapt\$4 alter\$4 substitut\$3 replac\$3) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 14:03
L38	258	(html xml markup) same (reconfigur\$5 configur\$5) same (hardware parameter information data attribute buffer port window queue bus usb vesa "i/o") same (audio near3 video multimedia) and (upda\$5 edit\$4 chang\$3 modif\$4 tailor rearrang\$3 re-assign adjust\$4 adapt\$4 alter\$4 substitut\$3 replac\$3) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 11:20
L39	11	38 and (size with memory)	US-PGPUB; USPAT	OR	ON	2007/11/28 11:17
L40	17	38 and size with (buffer port window queue bus usb vesa "i/o")	US-PGPUB; USPAT	OR	ON	2007/11/28 11:17
L41	3	38 and size with configur\$5 with (buffer port window queue bus usb vesa "i/o")	US-PGPUB; USPAT	OR	ON	2007/11/28 11:28
L42	71	(html xml markup) same (reconfigur\$5 configur\$5) same (hardware buffer port window queue bus usb vesa "i/o") same (audio near3 video multimedia) and (upda\$5 edit\$4 chang\$3 modif\$4 tailor rearrang\$3 re-assign adjust\$4 adapt\$4 alter\$4 substitut\$3 replac\$3) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 11:24

## EAST Search History

L43	34	(html xml markup) same (reconfigur\$5 configur\$5) with (hardware buffer port window queue bus usb vesa "i/o") same (audio near3 video multimedia) and (upda\$5 edit\$4 chang\$3 modif\$4 tailor rearrang\$3 re-assign adjust\$4 adapt\$4 alter\$4 substitut\$3 replac\$3) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 11:25
L44	15	(html xml markup) same (reconfigur\$5 configur\$5) with (buffer port window queue bus usb vesa "i/o") same (audio near3 video multimedia) and (upda\$5 edit\$4 chang\$3 modif\$4 tailor rearrang\$3 re-assign adjust\$4 adapt\$4 alter\$4 substitut\$3 replac\$3) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 11:26
L45	4	(html xml markup) same (reconfigur\$5 configur\$5) with (buffer port queue bus usb vesa "i/o") same (audio near3 video multimedia) and (upda\$5 edit\$4 chang\$3 modif\$4 tailor rearrang\$3 re-assign adjust\$4 adapt\$4 alter\$4 substitut\$3 replac\$3) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 11:39
L47	3	45 and size	US-PGPUB; USPAT	OR	ON	2007/11/28 11:29
L48	4	(html xml markup) with (reconfigur\$5 configur\$5) with (buffer port queue bus usb vesa "i/o") and (audio near3 video multimedia) with (upda\$5 edit\$4 chang\$3 modif\$4 tailor rearrang\$3 re-assign adjust\$4 adapt\$4 alter\$4 substitut\$3 replac\$3) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 11:54
L49	16	(html xml markup) with (reconfigur\$5 configur\$5) with (buffer port queue bus "i/o") and (audio near3 video multimedia image) with (upda\$5 edit\$4 chang\$3 modif\$4 tailor rearrang\$3 re-assign adjust\$4 adapt\$4 alter\$4 substitut\$3 replac\$3) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 11:56



## EAST Search History

L50	16	(html xml markup mark\$3 adj up) with (reconfigur\$5 configur\$5) with (buffer port queue bus "i/o") and (audio near3 video multimedia image) with (upda\$5 edit\$4 chang\$3 modif\$4 tailor rearrang\$3 re-assign adjust\$4 adapt\$4 alter\$4 substitut\$3 replac\$3) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 11:59
L52	1	(html xml markup mark\$3 adj up) with (reconfigur\$5 configur\$5) with (part\$6 portion) with (screen window buffer port queue bus "i/o") and (audio near3 video multimedia image) with (upda\$5 edit\$4 chang\$3 modif\$4 tailor rearrang\$3 re-assign adjust\$4 adapt\$4 alter\$4 substitut\$3 replac\$3) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 12:06
L53	20	(html xml markup mark\$3 adj up) with (reconfigur\$5 configur\$5) with (part\$6 portion) with (screen window buffer port queue bus "i/o") and (audio near3 video multimedia image) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 12:08
L54	3	(html xml markup mark\$3 adj up) with (reconfigur\$5 configur\$5) with (part\$6 portion) with (screen window buffer port queue bus "i/o") and (audio near3 video ) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 12:43
L55	2	(html xml markup mark\$3 adj up) with (reconfigur\$5 configur\$5) with (portion) same (screen window buffer port queue bus "i/o") and (audio near3 video ) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 12:44
L56	17	(html xml markup mark\$3 adj up) with (reconfigur\$5 configur\$5) with (portion) same (screen window buffer port queue bus "i/o") and (audio near3 video media metadata) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 12:45

## EAST Search History

L57	18	(html xml markup mark\$3 adj up) with (reconfigur\$5 configur\$5) with (portion) same (screen window buffer port queue bus "i/o") and (audio near3 video media metadata stream\$3) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 12:46
L58	0	(html xml markup mark\$3 adj up) with (reconfigur\$5 configur\$5) with (portion) same (buffer port queue bus "i/o") and (audio near3 video media metadata stream\$3) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 12:46
L59	18	(html xml markup mark\$3 adj up) with (reconfigur\$5 configur\$5) with (portion) same (screen window buffer ram sram dsram queue bus "i/o") and (audio near3 video media metadata stream\$3) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 12:48
L60	8	(html xml markup mark\$3 adj up) with (reconfigur\$5 configur\$5) with (portion) and size with (screen window buffer ram sram dsram queue bus "i/o") and (audio near3 video media metadata stream\$3) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 13:16
L61	229	(html xml markup mark\$3 adj up) same (reconfigur\$5 configur\$5) near5 (screen window buffer ram sram dsram queue bus "i/o") and (audio near3 video multimedia metadata stream\$3) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 12:54
L62	42	(html xml markup mark\$3 adj up) same (reconfigur\$5 configur\$5) near5 (buffer ram sram dsram queue bus) and (audio near3 video multimedia metadata stream\$3) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 12:54
L63	21	(html xml markup mark\$3 adj up) same (reconfigur\$5 configur\$5) near5 (buffer queue bus) and (audio near3 video multimedia metadata stream\$3) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 12:54

## EAST Search History

L64	446	(reconfigur\$5 configur\$5) near2 (screen window buffer ram sram dsram queue bus "i/o") and (allocat\$3 verif search identif\$3 adapt\$4 adjust\$4) with (html xml markup mark\$3 adj up vrml vxml hdtml) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 13:29
L65	33	(reconfigur\$5 configur\$5) near2 (screen window buffer ram sram dsram queue bus "i/o") and (allocat\$3 verif search identif\$3 adapt\$4 adjust\$4) with (html xml markup mark\$3 adj up vrml vxml hdtml) with updat\$5 and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 13:30
L66	2	(reconfigur\$5 configur\$5) near2 (buffer queue bus "i/o") and (allocat\$3 verif search identif\$3 adapt\$4 adjust\$4) with (html xml markup mark\$3 adj up vrml vxml hdtml) with updat\$5 and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 13:33
L67	1	(reconfigur\$5 configur\$5) near2 (buffer queue bus "i/o") SAME (html xml markup mark\$3 adj up vrml vxml hdtml) with updat\$5 and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 13:32
L68	37	(reconfigur\$5 configur\$5) near2 (buffer queue bus "i/o") and (html xml markup mark\$3 adj up vrml vxml hdtml) with updat\$5 and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 13:33
L71	12	(reconfigur\$5 configur\$5) near2 (buffer queue bus "i/o") and (html xml markup mark\$3 adj up vrml vxml hdtml) with (edit modif\$4 chang\$3 replac\$3 substitut\$3 updat\$5) with (allocat\$5 area portion) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 13:37
L72	89	(reconfigur\$5 configur\$5) near2 (buffer queue bus "i/o") and (html xml markup mark\$3 adj up vrml vxml hdtml) with (allocat\$5 area portion) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 13:37

## EAST Search History

L74	89	(reconfigur\$5 configur\$5) near2 (buffer queue bus "i/o") and (html xml markup mark\$3 adj up vrml vxml hdtml) with (area portion) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 14:19
L75	35	(buffer queue bus "i/o") adj2 (reconfigur\$5 configur\$5) and (html xml markup mark\$3 adj up vrml vxml hdtml) with (area portion) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 13:44
L76	14	75 and size with (buffer port window queue bus usb vesa "i/o")	US-PGPUB; USPAT	OR	ON	2007/11/28 13:39
L77	10	75 and size near3 (buffer port window queue bus usb vesa "i/o")	US-PGPUB; USPAT	OR	ON	2007/11/28 13:39
L80	8	allocat\$4 with (buffer queue bus "i/o" link channel interface) with (area portion) same (html xml markup mark\$3 adj up vrml vxml hdtml) and (@ad<"20030331" @rlad<"20030331") and interact\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 13:47
L81	4	allocat\$4 with (buffer queue bus "i/o" link channel interface connect\$3) with (area portion) same (html xml markup mark\$3 adj up vrml vxml hdtml xhtml) and (@ad<"20030331" @rlad<"20030331") and interact\$5 and configur\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 13:48
L82	4	allocat\$4 with (buffer queue bus "i/o" link channel interface connect\$3) with (area portion) same (html xml markup mark\$3 adj up vrml vxml dhtml xhtml) and (@ad<"20030331" @rlad<"20030331") and interact\$5 and configur\$5	US-PGPUB; USPAT	OR	ON	2007/11/28 13:51
L83	2	allocat\$4 with (area portion) with (html xml markup mark\$3 adj up vrml vxml dhtml xhtml) and (@ad<"20030331" @rlad<"20030331") and interact\$5 and configur\$5 near (buffer queue bus "i/o" link channel interface connect\$3)	US-PGPUB; USPAT	OR	ON	2007/11/28 13:53

## EAST Search History

L84	117	(identif\$4 select\$4 allocat\$4) with (area portion) with (html xml markup mark\$3 adj up vrml vxml dhtml xhtml) and (@ad<"20030331" @rlad<"20030331") and interact\$5 and configur\$5 near (buffer queue bus "i/o" port link channel interface connect\$3 hardware)	US-PGPUB; USPAT	OR	ON	2007/11/28 13:54
L85	75	(identif\$4 select\$4 allocat\$4) with (area portion) near5 (html xml markup mark\$3 adj up vrml vxml dhtml xhtml) and (@ad<"20030331" @rlad<"20030331") and interact\$5 and configur\$5 near (buffer queue bus "i/o" port link channel interface connect\$3 hardware)	US-PGPUB; USPAT	OR	ON	2007/11/28 13:54
L86	4	(identif\$4 select\$4 allocat\$4) with (area portion) near5 (html xml markup mark\$3 adj up vrml vxml dhtml xhtml) and (@ad<"20030331" @rlad<"20030331") and interact\$5 and configur\$5 near (buffer queue bus "i/o" port)	US-PGPUB; USPAT	OR	ON	2007/11/28 14:01
L87	19	(identif\$4 select\$4 allocat\$4) with (area portion) with (html xml markup mark\$3 adj up vrml vxml dhtml xhtml) and (@ad<"20030331" @rlad<"20030331") and interact\$5 and configur\$5 near3 (buffer queue bus "i/o" port)	US-PGPUB; USPAT	OR	ON	2007/11/28 14:03
L88	7	(reconfigur\$5 configur\$5) near2 (buffer queue bus "i/o") with (html xml markup mark\$3 adj up vrml vxml hhtml) with (area portion) and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT	OR	ON	2007/11/28 14:20